

## **CERTIFICATE OF ANALYSIS**

## Product BIOTINYLATED ANTI-MOUSE IgM (mu-chain specific) \*\*AFFINITY PURIFIED\*\*

- Catalog BA-2020
- Amount <u>0.5 mg biotinylated Immunoglobulin</u>
- Concentration 0.5 mg/ml
- Lot No. <u>Y1102</u>
- Produced in goat
- Solution 10 mM phosphate, pH 7.8, 0.15 M NaCl, 0.08% sodium azide. Immunohistochemical grade bovine serum albumin has been added for stabilization.
- Storage <u>Refrigerate</u>; for long-term storage, aliquots may be stored frozen.

Immunoglobulir	h biotinylated	<u>99%</u>
----------------	----------------	------------

Solid-phase enzyme	immunoassav	of cross-re	activity.
Solid phase enzyme	minunoussuy	01 01055 10	activity.

Protein

Percent Cross-reactivity

rat IgM

6%

<1%

bovine IgG, bovine IgM, cat IgG, chicken IgG, dog IgG, dog IgM guinea pig IgG ,hamster IgG, horse IgG, human IgG, human IgM, mouse IgG, rabbit IgG, rabbit IgM, rat IgG, Rhesus monkey IgG, sheep IgG, sheep IgM , swine IgG, swine IgM

If this biotinylated antibody is to be used in tissues, which may contain cross-reacting endogenous immunoglobulins, dilution of this biotinylated antibody may be made in buffers containing 2% normal serum from the same species as the tissue.

The recommended concentration range for use is 2-10  $\mu$ g/ml.