

## **CERTIFICATE OF ANALYSIS**

Product R.T.U. BIOTINYLATED ANTI-RAT IgG (H+L)
\*\*AFFINITY PURIFIED\*\*

Catalog BP-9400

Volume 50 mls

Lot No. <u>ZC0517</u>

Produced in goat

Format Ready-to-use solution of biotinylated goat anti-rat IgG in PBS\*

containing carrier protein and 0.08% sodium azide as preservative.

Storage Refrigerate

Immunoglobulin biotinylated 99%

Antibody Activity after biotinylation (by solid phase IgG binding assay) 98%

Solid-phase enzyme immunoassay of cross-reactivity:

<u>Protein</u>	Percent Cross-reactivity
rat IgM	50%
hamster IgG, mouse IgM	25%
horse IgG, mouse IgG, swine IgG	6%
cat IgG, dog IgG, guinea pig IgG, Rhesus monkey IgG	3%
bovine IgG, chicken IgG, dog IgM, human IgG, human IgM, rabbit IgG, rabbit IgM, sheep IgG, sheep IgM, swine IgM	<1%

## **Instructions for Use:**

Following incubation with primary antibody, wash specimens in buffer. Apply RTU Biotinylated Anti-Rat IgG and incubate for 30 minutes at room temperature. Wash in buffer for 5 minutes and follow with avidin or streptavidin based detection reagent such as RTU VECTASTAIN® Edit ® ABC Reagent (PK-7100).

<sup>\* 10</sup>mM phosphate, pH 7.8, 0.15M NaCl.